


PRODUCT NO. 360-34-SN



THE FREEMONT SERIES
**Four Uplight
Chandelier**

FRAME SHADE OR GLASS SHADE

**OLD
CALIFORNIA**
FINE LIGHTING &
HOME GOODS




*TBD: To Be Determined

OLD CALIFORNIA
 975 N ENTERPRISE ST • ORANGE, CA 92867

PRODUCT No. 360-34-SN
 TITLE Freemont
 UL RATING Damp

LAMP BASE Medium Base (E26)
 MAX WATTAGE 4-60W
 VOLTAGE 120V

PROPRIETARY AND CONFIDENTIAL
 The information contained in this drawing is the sole property of Old California. Any reproduction in part or as a whole without written permission from Old California is prohibited.



Final Dimensions
Determined by Shade Size

*TBD: To Be Determined

OLD CALIFORNIA
975 N ENTERPRISE ST • ORANGE, CA 92867

PRODUCT No. 360-34-SN
TITLE Freemont
UL RATING Damp

LAMP BASE Medium Base (E26)
MAX WATTAGE 4-60W
VOLTAGE 120V

PROPRIETARY AND CONFIDENTIAL
The information contained in this drawing is the sole property of Old California. Any reproduction in part or as a whole without written permission from Old California is prohibited.

DIMENSIONS

Chandelier Width (Center Sockets) 18"
 Minimum Height (Without Shades) 14"
 Ceiling Mounting Plate 5"
 Socket Style Square Shell (SN)
 Shade Fitter Size 2 1/4"

ELECTRICAL SPECS

UL Rating Damp
 Voltage 120V
 Socket Type Medium Base - E26
 Number of Light Bulbs 4
 Max Wattage per Bulb 60W
 LED Bulb Supplied
 Dimmable Yes

ADDITIONAL INFORMATION

Manufacturer Old California
 Mounting Location Interior
 Material Brass

FRAME SHADES



Cross



Arch



Cloud Lift



Arrow

EXAMPLES OF AVAILABLE GLASS SHADES



Amber Mission



Victorian Feather



Cherry Blossom
Cylinder




Milk-White Bell



Peacock Feather
Tulip

A much wider selection of shades is available on our website.

MOUNTING INSTRUCTIONS • Ceiling Mount with Sliding Canopy**CAUTION—DISCONNECT POWER**

Always shut off power when installing or repairing this (or any other) electrical appliance. Failure to do so may result in severe injury or death. This product must be installed in accordance with applicable installation codes by a person familiar with the construction and operation of the product, and the hazards involved.